



US006654346B1

(12) **United States Patent**
Mahalingaiah et al.

(10) **Patent No.:** **US 6,654,346 B1**
(45) **Date of Patent:** **Nov. 25, 2003**

(54) **COMMUNICATION NETWORK ACROSS WHICH PACKETS OF DATA ARE TRANSMITTED ACCORDING TO A PRIORITY SCHEME**

(75) Inventors: **Rupaka Mahalingalah**, Austin, TX (US); **Viren H. Kapadla**, Austin, TX (US)

(73) Assignee: **Duntl Corporation**, Austin, TX (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **09/356,645**

(22) Filed: **Jul. 19, 1999**

(51) Int. Cl.⁷ **H04J 1/16; H04J 3/16**

(52) U.S. Cl. **370/235; 370/465; 370/468**

(58) Field of Search **370/230, 232, 370/235, 389, 392, 401, 352, 353, 412, 444, 465, 468, 228, 428, 400**

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,538,026 A	8/1985	Yasue	
5,095,480 A	3/1992	Fenner	
5,132,966 A *	7/1992	Hayano et al.	370/468
5,485,455 A	1/1996	Dobbins et al.	
5,596,715 A	1/1997	Klein et al.	
5,721,819 A	2/1998	Galles et al.	
5,818,818 A *	10/1998	Soumiya et al.	370/412
5,864,683 A	1/1999	Boebert et al.	
5,933,422 A *	8/1999	Kusano et al.	370/228

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

EP	0 403 973	12/1990
EP	0 751 642	1/1997
EP	0 855 820	7/1998

OTHER PUBLICATIONS

Tsuchiya, "Efficient Utilization of Two-Level Hierarchical Addresses," © 1992 IEEE, pp. 1016-1021.

International Search Report, application No. PCT/US 00/13334, mailed Mar. 23, 2001.

Antonio et al., "A Fast Distributed Shortest Path Algorithm for a Class of Hierarchically Structured Data Networks," ©1989 IEEE, pp. 183-192.

Xedia Corp., "Demystifying Bandwidth Management," www.xedia.com/products/demystify.htm, last modified: Feb. 22, 1999.

Xedia Corp., "CBQ Frequently-Asked Questions," www.xedia.com/products/cbq_faq.htm, last modified: Mar. 11, 1999.

Xedia Corp., "Delivering Internet Access Quality of Service," www.xedia.com/products/delivering_access.htm, last modified: Mar. 15, 1999.

Primary Examiner—Melvin Marcelo

Assistant Examiner—Andy Lee

(74) *Attorney, Agent, or Firm*—Kevin L. Daffer; Conley Rose P.C.

(57) **ABSTRACT**

Architectures, systems, and methods are provided for securing and prioritizing packets of data sent through a communication network. Each packet is assigned a security code and priority code as it enters the network. The security code or priority code may remain the same or change as it travels from node-to-node across the network. By assigning security and priority codes to each packet, maximum bandwidth allocation can be achieved among the nodes in a packet-switched environment. The assigned security and priority codes enter and travel through the network according to modules which have a hierarchical class or grouping. Thus, the security and priority information may be sent solely within one class or among classes depending on where, within the classes the data path exists. In this manner, a specified quality of service can be achieved to ensure the data path is secured dynamically as it travels from node to node, and also to determine which packet among several is to be forwarded across a shared resource of that network.

13 Claims, 11 Drawing Sheets

